UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/723,648	11/26/2003	Allan R. Wells	89190.070503/DP-308340	8779
	7590 03/20/200 INOLOGIES, INC.	EXAMINER		
M/C 480-410-2	•	MARTIN, ANGELA J		
PO BOX 5052 TROY, MI 480	07		ART UNIT	PAPER NUMBER
,			1745	
				-
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		03/20/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Applica	tion No.	Applicant(s)			
Office Action Summary		10/723,	648	WELLS ET AL.			
		Examin	er	Art Unit			
		Angela J	J. Martin	1745			
Period fo	The MAILING DATE of this communica r Reply	tion appears on ti	he cover sheet wi	th the correspondence ad	dress		
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAIL asions of time may be available under the provisions of 3 SIX (6) MONTHS from the mailing date of this communic period for reply is specified above, the maximum statum or to reply within the set or extended period for reply will, eply received by the Office later than three months after do patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF T 7 CFR 1.136(a). In no e cation. bry period will apply and by statute, cause the ap	FHIS COMMUNIC event, however, may a re will expire SIX (6) MON' oplication to become AB	CATION. apply be timely filed THS from the mailing date of this of the ANDONED (35 U.S.C. § 133).			
Status							
2a) <u></u>	Responsive to communication(s) filed of This action is FINAL . 2b) Since this application is in condition for closed in accordance with the practice	☑ This action is allowance excep	non-final. ot for formal matte	·	e merits is		
Dispositi	on of Claims		·				
5)	Claim(s) 1,3-9,14 and 16-20 is/are penda) Of the above claim(s) is/are valued. Claim(s) is/are allowed. Claim(s) 1,3-9,14, 16-20 is/are rejected to. Claim(s) is/are objected to. Claim(s) are subject to restriction on Papers The specification is objected to by the E The drawing(s) filed on is/are: a) Applicant may not request that any objection Replacement drawing sheet(s) including the oath or declaration is objected to by	withdrawn from contact and/or election and/or election accepted or but to the drawing(s) accorrection is required.	requirement. o) objected to be held in abeyand ired if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CF	` '		
Priority u	nder 35 U.S.C. § 119				• .		
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some col None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
Attachment	(s)		•				
1) Notice 2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO- nation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	948)	Paper No(s)	ummary (PTO-413) /Mail Date formal Patent Application 			

DETAILED ACTION

This Office Action is responsive to the Amendment filed on December 26, 2006. The Applicant has amended claim 14 and added new claims 18, 19, 20. However, a new rejection is presented for the following reasons of record.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1, 3, 14, 16-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Abdou et al., U.S. Pat. Application Pub. 2005/0064266 A1.

Rejection of claims 1, 3, 18, 19 drawn to a method of forming a fuel cell assembly; claims 14, 16, 17 drawn to a fuel cell assembly.

Abdou et al., teach a method for forming a fuel cell assembly, comprising the steps of: a) forming a fuel cell sub-assembly module containing at least two bonded together fuel cell units, said at least two fuel cell units each including an anode, a cathode, and a membrane electrode assembly (0057-0058);

- b) testing said sub-assembly module (0066); and
- c) joining together a plurality of sub-assembly modules to form said fuel cell assembly (0072). A method in accordance with Claim 1 wherein each of said sub-assembly

Application/Control Number: 10/723,648

Art Unit: 1745

modules comprises a plurality of bipolar plates assemblies (0004; 0058) interspersed with a plurality of membrane electrode assembly elements (0046). A fuel cell assembly comprising a plurality of fuel cells bonded together to form a plurality of fuel cell subassembly modules, wherein said plurality of fuel cell sub-assembly modules are bonded together to form said fuel cell assembly, wherein at least one of said fuel cells includes a bipolar plate assembly and a membrane electrode assembly (0057-0058). A fuel cell assembly in accordance with Claim 14 wherein at least one gasket and at least one gasketing element are positioned between each of said plurality of fuel cells (0057; 0065). A fuel cell assembly in accordance with Claim 14 wherein at least one gasket and at least one gasketing element are positioned between each of said plurality of fuel cell sub-assembly modules (0057; 0065). A method in accordance with Claim 1 wherein said at least two fuel cell units are bonded together using at least one elastomeric gasket and at least one gasketing element (0057; 0065). A method in accordance with Claim 1 wherein said plurality of sub-assembly modules are joined together using at

Page 3

Thus, the claims are anticipated.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

least one elastomeric gasket and at least one gasketing element (0057; 0065).

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Application/Control Number: 10/723,648

Art Unit: 1745

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 4-9, 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Abdou et al., U.S. Pat. Application Pub. 2005/0064266 A1, in view of Stanley et al., U.S. Pat. Application Pub. 2004/0053100 A1, or Frank et al., U.S. Pat. Application Pub. 2005/0091838 A1, or Frisch et al., U.S. Pat. No. 6,761,991 B2.

Abdou et al., teach a method in accordance with Claim 1 wherein said forming step for each of said sub-assembly modules includes the steps of:

- a) providing an assembly fixture having at least one alignment element for receiving fuel cell components (0055, 0056):
- b) selecting n+l number of bipolar plate assemblies and n number of membrane electrode assembly elements, each bipolar plate assembly having an anode and a cathode, wherein n is the number of said plurality of fuel cell units desired in said sub-assembly module (0072);
- c) providing an elastomeric gasket on one of said anode and cathode of n+l bipolar plate assemblies (0057);
- e) installing onto said assembly fixture one of said n+l bipolar plate assemblies, said alignment element engaging said one of said n+l bipolar plate assemblies (0055-0056);
- f) installing onto said assembly fixture a membrane electrode assembly element into contact with said just-installed bipolar plate assembly (0055, 0056); g) installing onto said assembly fixture another of said n+l bipolar plate assemblies, the anode of said one or said another of said n+l bipolar plate assemblies being disposed adjacent said cathode of the other of said one or said another of said n+l bipolar plate assemblies,

and said alignment element engaging said bipolar plate assembly being installed (0055, 0056); repeating steps f) and g) for the remaining number of provided bipolar plate assemblies and provided MEA elements to form a stack of n fuel cell units; i) applying compressive force (0065) to said stack of n fuel cell units whilst curing said curable liquid rubber material of said at least one of said elastomeric gasket and said gasketing element to form a fuel cell sub-assembly module (0065). A method in accordance with Claim 4 wherein at least one of said membrane electrode assemblies includes gas diffusion layers (0072). A method in accordance with Claim 4 wherein said at least one alignment element is a rod (implied, since it discloses "alignment means" and a bore in Fig. 1, ref. 46), wherein each of said bipolar plate assemblies include a bore (Fig. 1, ref. 46), and wherein each of said bores receive said rod to align said bipolar plate assemblies (implied, since it discloses "alignment means" and a bore in Fig. 1, ref. 46).

Stanley et al., teach the gasketing element includes a curable liquid rubber material (sect. 0037).

Frank et al., teach curing the elastomeric gasket prior to the method (sect. 0092, 0148). It teaches including a liquid sealant during bipolar plate installation (sect. 0041). It teaches membrane electrode assembly includes gas diffusion layer (sect. 0004, 0089, 0109).

Frisch et al., teach an elastomeric gasket including a liquid sealant (col. 6, lines 30-35).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to insert the teachings of or Stanley et al., or Frank et al., or Frisch et al., into the teachings of Abdou et al., because each of the secondary references teach a method of including a curable liquid rubber material for the gasket material which is advantageous to the life of the fuel cell. The prior art of record discloses that curing of a liquid sealant as the gasket helps "to prevent leakage of gases and liquids required for operation of the individual fuel cells" (Frisch et al.). In addition, the seal "is robust and can accommodate variations in tolerances and dimensions, and...can be bonded, where possible, to individual elements of the fuel cell assembly. This avoids the difficulty, labor intensive cost and complexity of manually assembling many individual gaskets into complex groove shapes" (Frank et al.).

Response to Arguments

4. Applicant's arguments with respect to above claims have been considered but are most in view of the new ground(s) of rejection.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Sabin et al., U.S. Pat. Application Pub. 2006/0127735 A1 teach fuel cell stacks comprising insulating gaskets, bipolar plates, and fuel cell modules, which are bonded. Osenar et al., U.S. Pat. Application Pub. 2005/0244703 A1 teach fuel cell stacks comprising insulating gaskets, bipolar plates, and fuel cell modules, which are bonded.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angela J. Martin whose telephone number is 571-272-1288. The examiner can normally be reached on Monday-Friday from 9:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

afrat